

# **SAFETY DATA SHEET**

# 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

**Product name MOLYPASTE ANTI-GALL PASTE Synonyms** M801, M819 - PRODUCT CODE(S)

1.2 Uses and uses advised against **LUBRICANT** Uses

1.3 Details of the supplier of the product

Supplier name **MOLYTEC AUSTRALIA P/L** 

2/38-44 Enterprise Street, Cleveland, QLD, 4163, AUSTRALIA **Address** 

**Telephone** 1300 452 355

**Email** admin@molytec.com.au http://www.molytec.com.au Website

1.4 Emergency telephone numbers **Emergency** 1300 452 355

# 2. HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

# **Physical Hazards**

Not classified as a Physical Hazard

# **Health Hazards**

Skin Sensitisation: Category 1 Carcinogenicity: Category 2

Specific Target Organ Toxicity (Repeated Exposure): Category 1

# **Environmental Hazards**

Not classified as an Environmental Hazard

# 2.2 GHS Label elements

Signal word **DANGER** 

**Pictograms** 





#### **Hazard statements**

H317 May cause an allergic skin reaction. H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

Page 1 of 7



SDS Date: 13 Jul 2022

Revision No: 1

#### **Prevention statements**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

#### Response statements

P302 + P352 IF ON SKIN: Wash with plenty of water.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P321 Specific treatment is advised - see first aid instructions.
P362 + P364 Take off contaminated clothing and wash it before reuse.

#### Storage statements

P405 Store locked up.

# **Disposal statements**

P501 Dispose of contents/container in accordance with relevant regulations.

#### 2.3 Other hazards

No information provided.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
MINERAL OIL	-	-	10 to 15%
MOLYBDENUM DISULPHIDE	1317-33-5	215-263-9	10 to 15%
NICKEL	7440-02-0	231-111-4	1 to 5%
NON HAZARDOUS INGREDIENTS	Not Available	Not Available	Remainder

# 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

Eye If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to

stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

**Inhalation** If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

**Skin** If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.

Ingestion For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If

swallowed, do not induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

May cause sensitisation by skin contact.

# 4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

# 5. FIRE FIGHTING MEASURES

### 5.1 Extinguishing media

Dry agent, carbon dioxide or foam. Prevent contamination of drains and waterways.

# 5.2 Special hazards arising from the substance or mixture

Combustible. May evolve carbon oxides and hydrocarbons when heated to decomposition.



SDS Date: 13 Jul 2022 Revision No: 1

Page 2 of 7

#### 5.3 Advice for firefighters

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

#### 5.4 Hazchem code

None allocated.

# 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Clear area of all unprotected personnel. Ventilate area where possible.

#### **6.2 Environmental precautions**

Prevent product from entering drains and waterways.

#### 6.3 Methods of cleaning up

Contain spillage, then cover / absorb spill with non-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable containers for disposal.

#### 6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

# 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances, heat or ignition sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Check regularly for leaks or spills. Large storage areas should have appropriate fire protection systems.

#### 7.3 Specific end uses

No information provided.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Control parameters

### **Exposure standards**

Ingredient	Reference	TWA		STEL	
mgredient		ppm	mg/m³	ppm	mg/m³
Insoluble Molybdenum compounds	SWA [AUS]		10		
Nickel, metal	SWA [AUS]		1		
Nickel, soluble compounds (as Ni)	SWA [AUS]		0.1		

#### **Biological limits**

No biological limit values have been entered for this product.

#### 8.2 Exposure controls

Engineering controls

Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended. Maintain vapour levels below the recommended exposure standard.

ChemAlert.

SDS Date: 13 Jul 2022 Revision No: 1

Page 3 of 7

**PPE** 

Eye / Face Wear splash-proof goggles.

**Hands** Wear PVC or rubber gloves. With prolonged use, wear viton® or nitrile gloves.

Body When using large quantities or where heavy contamination is likely, wear coveralls. With prolonged use,

wear coveralls.

**Respiratory** Where an inhalation risk exists, wear a Type A (Organic vapour) respirator.



#### 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

Appearance SMOOTH GREY TO BLACK GREASE

Odour ODOURLESS

Flammability CLASS C2 COMBUSTIBLE

Flash point > 250°C (oc)
Boiling point NOT AVAILABLE

Melting point > 250°C

Evaporation rateNOT AVAILABLEpHNOT AVAILABLEVapour densityNOT AVAILABLE

Relative density 0.9

**INSOLUBLE** Solubility (water) Vapour pressure **NOT AVAILABLE** Upper explosion limit **NOT AVAILABLE** Lower explosion limit **NOT AVAILABLE** Partition coefficient **NOT AVAILABLE Autoignition temperature NOT AVAILABLE Decomposition temperature NOT AVAILABLE** Viscosity **NOT AVAILABLE Explosive properties NOT AVAILABLE Oxidising properties NOT AVAILABLE Odour threshold NOT AVAILABLE** 

# 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

#### 10.2 Chemical stability

Stable under recommended conditions of storage.

#### 10.3 Possibility of hazardous reactions

Polymerization will not occur.

### 10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

# 10.5 Incompatible materials

Incompatible with oxidising agents (e.g. hypochlorites), acids (e.g. nitric acid), alkalis (e.g. sodium hydroxide), heat and ignition sources.

Page 4 of 7

# 10.6 Hazardous decomposition products

May evolve carbon oxides and hydrocarbons when heated to decomposition.

# 11. TOXICOLOGICAL INFORMATION



SDS Date: 13 Jul 2022

Revision No: 1

# 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met. Ingestion of large quantities may result in

nausea, vomiting, abdominal pain and diarrhoea.

Information available for the ingredients:

Ingredient	Oral LD50	Dermal LD50	Inhalation LC50
MOLYBDENUM DISULPHIDE			> 2820 mg/m³ (rat) (4 hours)
NICKEL	> 9000 mg/kg (Sprague-Dawley rat)		

Skin Contact may result in irritation, redness, rash and dermatitis.

Eye Contact may result in irritation, lacrimation, pain and redness.

**Sensitisation** May cause an allergic skin reaction. This product is not classified as a respiratory sensitiser.

Mutagenicity Not classified as a mutagen.

Carcinogenicity Nickel metal is allocated a GHS Classification of 'Category 2 - Suspected Carcinogen'. Nickel, metallic and

alloys are classified as possibly carcinogenic to humans (IARC Group 2B). These classifications are based on the lack of human evidence of carcinogenicity, but the presence of positive results for tumor induction in animals after injection or intratracheal instillation. A recent animal inhalation study was negative for

carcinogenicity (Oller et al. 2008).

**Reproductive** Not classified as a reproductive toxin.

STOT - single exposure

Not classified as causing organ damage from single exposure. Due to product form / nature of use, an inhalation hazard is not anticipated with normal use. However, if product is heated or mists generated,

exposure may result in respiratory irritation, headache and nausea.

STOT - repeated

exposure

Repeated exposure to nickel and its compounds via inhalation may produce respiratory irritation and degeneration in humans. Prolonged exposure via inhalation to high concentrations may result in lung

degeneration in numans. F

Aspiration Aspiration into the lungs may result in chemical pneumonitis and pulmonary oedema.

# 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

This product can float on water, restricting oxygen exchange with possible asphyxiation of aquatic life.

#### 12.2 Persistence and degradability

No information provided.

### 12.3 Bioaccumulative potential

No information provided.

# 12.4 Mobility in soil

No information provided.

# 12.5 Other adverse effects

Avoid contamination of drains and waterways.

# 13. DISPOSAL CONSIDERATIONS

# 13.1 Waste treatment methods

Waste disposal Reuse where possible or return to manufacturer/supplier. May be recycled. Do not release to drains or

waterways. Contact the manufacturer/supplier for additional information (if required).

**Legislation** Dispose of in accordance with relevant local legislation.

# 14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA



SDS Date: 13 Jul 2022 Revision No: 1

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None allocated.	None allocated.	None allocated.
14.2 Proper Shipping Name	None allocated.	None allocated.	None allocated.
14.3 Transport hazard class	None allocated.	None allocated.	None allocated.
14.4 Packing Group	None allocated.	None allocated.	None allocated.

#### 14.5 Environmental hazards

Not a Marine Pollutant.

### 14.6 Special precautions for user

Hazchem code None allocated.

# 15. REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the

Uniform Scheduling of Medicines and Poisons (SUSMP).

Classifications Safe Work Australia criteria is based on the Globally Harmonised System (GHS) of Classification and

Labelling of Chemicals (GHS Revision 7).

Inventory listings AUSTRALIA: AllC (Australian Inventory of Industrial Chemicals)

All components are listed on AIIC, or are exempt.

# 16. OTHER INFORMATION

#### **Additional information**

MINERAL OILS - SOLVENT REFINED: Animal experiments and human experience have not shown cancer risks when handling solvent refined mineral oils, unlike non refined mineral oils. CLEANING MINERAL OIL CONTAMINATED CLOTHING: Cleaners are advised that when cleaning oil contaminated clothing it is essential that freshly distilled solvent is used for each batch, including final rinse, as even filtered solvent will leave oil residues.

MINERAL OILS - USED: Used mineral oils in engine crankcases and other high temperature/high stress environments may contain potentially harmful residues, some of which have been shown to cause irreversible skin effects, including cancer. Prolonged and repeated inhalation of mists associated with used mineral oils may result in pulmonary fibrosis.

MINERAL OILS - INJECTION: Where high pressure applications are used the risk of accidental injection under the skin exists and may result in an extremely painful and serious injury requiring immediate medical attention. Depending on the pressure used, mineral oils may be injected a considerable distance below the skin and may cause permanent tissue damage. SEEK IMMEDIATE MEDICAL ATTENTION. EXERCISE EXTREME CARE WHEN USING HIGH PRESSURE EQUIPMENT.

#### PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

### HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.



SDS Date: 13 Jul 2022 Revision No: 1

Page 6 of 7

**ACGIH Abbreviations** American Conference of Governmental Industrial Hygienists

> CAS# Chemical Abstract Service number - used to uniquely identify chemical compounds

**CNS** Central Nervous System

EC No. EC No - European Community Number

**EMS** Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous

**GHS** Globally Harmonized System

**GTEPG** Group Text Emergency Procedure Guide **IARC** International Agency for Research on Cancer

LC50 Lethal Concentration, 50% / Median Lethal Concentration

Lethal Dose, 50% / Median Lethal Dose LD50

Milligrams per Cubic Metre ma/m³ OEL Occupational Exposure Limit

relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly Hq

alkaline).

Parts Per Million ppm

**STEL** Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure) STOT-SE Specific target organ toxicity (single exposure)

**SUSMP** Standard for the Uniform Scheduling of Medicines and Poisons

**SWA** Safe Work Australia TLV Threshold Limit Value **TWA** Time Weighted Average

#### Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

#### Prepared by

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794 Email: info@rmt.com.au Web: www.rmtglobal.com

[ End of SDS ]



SDS Date: 13 Jul 2022

Revision No: 1